



**TELANGANA STATE POLLUTION CONTROL BOARD**

Paryavarana Bhavan, A-III, Industrial Estate, Sanathnagar, Hyderabad-500 018  
Phones : 040-23887500 Fax: 040-23815631

**RENEWAL OF CONSENT & AUTHORISATION ORDER  
BY REGISTERED POST WITH ACKNOWLEDGEMENT DUE**

**Consent Order No:600/TSPCB /BMW// CBMWTF /2011- 3799 Date:10.02.2018**

Consent Order for Existing / New or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act,1974 and amendments thereof, Operation of the plant under section 21/22 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof, authorization / Renewal of authorization under Rule 5 (4) of the Hazardous Wastes (Management, Handling and Transboundary, Movement ) Rules, 2008 and Authorization under Rule 10 of the Bio Medical Wastes Management Rules, 2016.

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act 1981 Authorisation under the provisions of HW (Management and Transboundary Movement) Rules and Authorisation under the provisions of BMW Management Rules, (hereinafter referred to as 'the Acts', the Rules') and the rules and orders made thereunder to

M/s. G.J. Multiclave (India) Pvt., Ltd.,  
Sy.No. 179 & 181, Edulapally (V), Kothur (M),  
Mahaboobnagar district.  
Mail id: [service@gjmulticlave.com](mailto:service@gjmulticlave.com)

(hereinafter referred to as 'the Applicant') authorizing to operate the Common Bio-Medical Waste Treatment Facility to discharge the effluents from the outlets and the quantity of Emissions per hour from the chimneys as detailed below.

**I. Outlets for discharge of effluents:**

Outlet No.	Outlet Description	Max Daily Discharge (KLD)	Point of Disposal
1.	Floor & Vehicle washings	4.0	On land for gardening after treatment in ETP.
2.	Auto clave	0.5	On land for gardening after treatment in ETP.
3.	Domestic	1.5	Septic tank followed by soak pit.
	<b>TOTAL</b>	<b>6.0</b>	

**II. Emissions from chimneys:**

Chimney No.	Description of Chimney	Quantity of emissions in m3/hr. at peak flow
1	Attached to 2x200 Kg/Hr capacity HSD fired incinerator	--
2	Attached to the generator of capacity 125 KVA.	--

III. HAZARDOUS WASTE AUTHORIZATION (FORM - II) [SEE RULE - 5 (4)]

Number of Authorisation and date of issue - Consent Order No. 600/TSPCB /BMWM/ CBMWTF / 2011 - Date:10.02.2018.

M/s. G.J. Multiclave (India) Pvt., Ltd., Sy.No. 179 & 181, Edulapally (V), Kothur (M), Mahaboobnagar district is hereby granted an Authorisation to operate a facility for collection reception, storage, transport and disposal of Hazardous Wastes namely

S. No	Name of the Hazardous Waste	Stream	Quantity of Hazardous Waste	Disposal Option
1	Waste Oil	5.1 of Schedule - I	15 Ltrs / M	Authorised recyclers / re-processors.
2	Waste Grease	5.1 of Schedule - I	50 Kg / Day	
3	Incinerator Ash	36.2 of Schedule - I	20 kgs / day	TSDf, Rangareddy dist.
4	ETP Sludge	33.3 of Schedule - I	3.0 to 5.0 kgs / day	

IV. Bio-Medical Waste Authorisation (Form - IV) [ See Rule 8 (4) ]

(Authorisation for operating a facility for collection, reception, treatment, storage transport and disposal of biomedical waste)

M/s. G.J. Multiclave (India) Pvt., Ltd., is hereby granted an authorization to operate a facility for collection, reception, storage, transport and disposal of biomedical waste in the premises situated at Sy.No. 179, Sy.No. 179 & 181, Edulapally (V), Kothur (M), Mahaboobnagar district.

This order is valid to collect, transport, treat and safe disposal of Bio-medical Waste generated from the HCEs/Hospitals located in erstwhile Hyderabad & Rangareddy districts along with other three facilities i.e., M/s. Medicare Environmental Management Pvt., Ltd., Medak district, M/s. ASE & Co., Medak District and M/s Sattva Global Services Pvt Ltd. Medak District.

M/s. G.J. Multiclave (India) Pvt., Ltd., Sy.No. 179 & 181, Edulapally (V), Kothur (M), Mahaboobnagar district should follow the Bio-Medical Waste Management Rules, 2016 and the guidelines for Common Bio-medical Waste Treatment Facility, issued by Central Pollution Control Board.


This order is subject to the provisions of 'the Acts' and the Rules' and orders made there under and further subject to the terms and conditions incorporated in the schedule A, B, C & D enclosed to this order.

This combined order of Consents, Hazardous Waste & Bio-Medical Waste Authorisation is valid for a period ending with the 31<sup>st</sup> day of December, 2022.

Sd/-  
MEMBER SECRETARY

To  
M/s. G.J. Multiclave (India) Pvt., Ltd.,  
Sy.No. 179 & 181, Edulapally (V), Kothur (M),  
Mahaboobnagar district.

//T.C.F.B.O //

  
Joint Chief Environmental Engineer  
(Unit Head - II)