



TAMILNADU POLLUTION CONTROL BOARD



Category of the Industry :

RED



CONSENT ORDER NO. 2308151371554 DATED: 06/04/2023.

PROCEEDINGS NO.F.0384MMN/RS/DEE/TNPCB/MMN/W/2023 DATED: 06/04/2023

SUB: Tamil Nadu Pollution Control Board - RENEWAL OF CONSENT – M/s. G.J MULTICLAVE(INDIA)PVT.LTD , S.F.No. 245&247, THENMELPAKKAM village, Chengalpattu Taluk and Chengalpattu District - Renewal of Consent for the operation of the plant and discharge of sewage and/or trade effluent under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act 6 of 1974) – Issued- Reg.

REF: 1.PROC NO.F.0384MMN/RS/DEE/TNPCB/MMN/A/W/2020 DATED: 04/12/2020
2.Unit application No for Renewal 51371554.
3.IR.No : F.0384MMN/RS/AE/MMN/2023 dated 06/04/2023

RENEWAL OF CONSENT is hereby granted under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act, 6 of 1974) (hereinafter referred to as “The Act”) and the rules and orders made there under to

The Director
M/s.G.J MULTICLAVE(INDIA)PVT.LTD,
S.F.No. 245&247,
THENMELPAKKAM Village ,
Chengalpattu Taluk ,
Chengalpattu District .

Authorising the occupier to make discharge of sewage and /or trade effluent.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This RENEWAL OF CONSENT is valid for the period ending March 31, 2028

K UDAYA KUMAR Digitally signed by K UDAYA KUMAR
Date: 2023.04.08 17:06:09 +05'30'

**District Environmental Engineer,
Tamil Nadu Pollution Control Board,
MARAIMALAI NAGAR**



TAMILNADU POLLUTION CONTROL BOARD

SPECIAL CONDITIONS

1. This renewal of consent is valid for operating the facility for the manufacture of products/byproducts (Col. 2) at the rate (Col 3) mentioned below. Any change in the product/byproduct and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Sl. No.	Description	Quantity	Unit
Product Details			
1.	Common Bio Medical Waste Treatment and Disposal Facility	0	0
2.	1.Incineration- Installed Capacity of the incinerators of 200 Kg/hr-1 No & 250 Kg/hr-1No	0	0
3.	2.Autoclaving-Installed Capacity of autoclave-2 Nos (763 Litres per Cycle each)	0	0

2. This renewal of consent is valid for operating the facility with the below mentioned outlets for the discharge of sewage/trade effluent. Any change in the outlets and the quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Outlet No.	Description of Outlet	Maximum daily discharge in KLD	Point of disposal
Effluent Type : Sewage			
1.	Sewage	1.6	On Industrys own land
Effluent Type : Trade Effluent			
1.	Trade Effluent	6.2	Recycling to process



TAMILNADU POLLUTION CONTROL BOARD

Special Additional Conditions:

The unit shall obtain No Objection Certificate (NOC) from the Tamil Nadu Bio Diversity Board /National Bio Diversity Authority if the unit is using any Biological resources or knowledge associated thereto as per the provisions of Biological Diversity Act 2002.

Additional Conditions:

1. The CBMWTF shall operate and maintain the Effluent Treatment Plant to treat the trade effluent generated from the unit so as to achieve the standards prescribed by the Board.
2. The CBMWTF shall treat and dispose the sewage generated from the premises through Septic tank and soak pit arrangements.
3. The CBMWTF shall maintain the records of collection, reception, storage, transportation, treatment and disposal and or any form of handling bio medical waste in accordance with the rules and records shall be subject to inspection and verification by the Board at any time.
4. The CBMWTF shall dispose the shredded plastics only through the authorized recycling facility having valid consent orders under the Water and Air Acts.
5. The CBMWTF shall operate and maintain the automatic computer recording arrangements in autoclave to monitor the pressure and temperature.
6. The CBMWTF shall ensure that the Bio medical waste generated from healthcare facility shall be removed everyday and ensure that in no case the waste shall be kept in the health care facility beyond 48 Hours.
7. The CBMWTF shall carry out third party evaluation done by reputed institutions and furnish the report once in every year.
8. The CBMWTF shall operate and maintain the surveillance cameras (CCTV) in the vulnerable location of the facilities (Waste storage, waste feeding, PLC attached with the treatment equipment (incinerator and autoclave).
9. The CBMWTF shall maintain good housekeeping with no odour nuisance.
10. The CBMWTF shall continue to develop green belt within the premises of the unit.
11. The CBMWTF shall not use "Use and throwaway plastics" such as plastic sheets used for food wrapping, spreading on dining table etc., plastic plates, plastic coated tea cups, plastic tumbler, water pouches and packets, plastic straw, plastic carry bag and plastic flags irrespective of thickness, within the industry premises. Instead unit shall encourage use of eco friendly alternative such as banana leaf, arecanut palm plate, stainless steel, glass, porcelain plates/cups, cloth bag, jute bag etc.
12. The CBMWTF shall comply with the E-Waste Management Rules 2016. E-Waste as listed in Schedule - I, generated by them shall be channelized through collection centre or dealer of authorised producer or dismantler or recycler or through the designated take back service provider of the producer to authorised dismantler or recycler. The unit shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the TNPCB. The unit shall file annual returns in Form-3, to the TNPCB on or before the 30th day of June following the financial year.
13. The CBMWTF shall be operated for extra hours to treat and dispose the additional bio medical waste to their installed capacity without installation of additional treatment equipment and shall comply with the CPCB Guidelines for handling of BMW at all times.
14. The CBMWTF shall not install additional treatment equipment and shall not go for any expansion more than the existing installed capacity without obtaining EC under EIA Notification amendment dated 17.04.2015

K UDAYA KUMAR
Digitally signed by K UDAYA
KUMAR
Date: 2023.04.08 17:06:33 +05'30'

**District Environmental Engineer,
Tamil Nadu Pollution Control Board,
MARAIMALAI NAGAR**

To
The Director,
M/s.G.J MULTICLAVE(INDIA)PVT.LTD,
New: 37, Old: 20, Teachers Colony, Kamarajar Avenue, Adyar, Chennai,
Pin: 600020

Copy to:

1.The Commissioner, KATTANKULATHUR-Panchayat Union, Chengalpattu Taluk, Chengalpattu
District .



TAMILNADU POLLUTION CONTROL BOARD

2. Copy submitted to the Member Secretary, Tamil Nadu Pollution Control Board, Chennai for favour of kind information.
 3. The District Environmental Engineer, Tamil Nadu Pollution Control Board, MARAIMALAI NAGAR for favour of kind information.
 4. File
-