



TELANGANA STATE POLLUTION CONTROL BOARD

Paryavarana Bhavan, A-III, Industrial Estate, Sanathnagar,
Hyderabad-500 018 Phones : 040-23887500 Fax: 040-23815631

RENEWAL OF CONSENT & AUTHORISATION ORDER

Consent No: /TSPCB/HO/HYD/CBMWTF/CFO/2022-1573 **Date:** 27.12.2022

Consent Order for Renewal or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof, Operation of the plant under section 21/22 of Air (Prevention & Control of Pollution) Act, 1981 and amendments thereof, authorization / Renewal of authorization under Rule 5 (4) of the Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and Authorization under Rule 10 of the Bio-Medical Wastes Management Rules, 2016.

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act, 1981; Authorisation under the provisions of HW (Management and Transboundary Movement) Rules and Authorisation under the provisions of BMW Management Rules, (hereinafter referred to as 'the Acts', the Rules') and the rules and orders made there under to

**M/s. G.J.Multiclave India Pvt. Ltd.,
Sy. No. 179 & 181, Mothkulaguda (V),
Nandigama (M), Shadnagar,
Rangareddy District - 509 216.**

(Hereinafter referred to as 'the Applicant') authorizing to operate the Common Bio-Medical Waste Treatment Facility to discharge the effluents from the outlets and the quantity of Emissions per hour from the chimneys as detailed below:

I. Outlets for discharge of effluents:

Outlet No.	Outlet Description	Max. Daily Discharge (KLD)	Point of Disposal
1.	Autoclave	0.5	After treatment, treated water shall be reused for scrubber makeup to the maximum extent and remaining shall be used on land for plantation within the premises. Septic tank followed by soak pit.
2.	Floor & Vehicle Washings	4.0	
3.	Domestic	1.5	
Total		6.0 KLD	

II. Emissions from chimneys:

Chimney No.	Description of Chimney	Control equipment provided	Flow rate in m ³ /hr	Stack height in Mts - above GL
1	Attached to HSD fired Incinerator of capacity-2x200 Kg/hr.	Venturi Scrubber, Packed Scrubber and ID FAN & Chimney	--	30 mtrs
2	Attached to the DG set of capacity-125 KVA	Acoustics enclosure	--	10 ft.

III. HAZARDOUS WASTE AUTHORIZATION (FORM – II) [SEE RULE – 6 (2)]

M/s. G.J.Multiclave India Pvt. Ltd., Rangareddy District is hereby granted an Authorization to operate a facility for collection, reception, storage, treatment, transport and disposal of Hazardous Wastes namely:

A. HAZARDOUS WASTE:

S. No	Name of the Hazardous Waste	Stream	Quantity of Hazardous Waste	Disposal Option
1.	Incinerator Ash	36.2 of Schedule – I	400 Kgs/day	Shall be disposed to M/s.TSDF, Dundigal.
2.	ETP Sludge	33.3 of schedule - I	3.0-5.0 Kgs/day	
3.	Waste oil	5.1 of schedule-I	15 Ltrs/month	Sold to Authorized Recyclers
4.	Waste Grease	5.1 of schedule-I	50 kg/month	Authorized waste oil re-processors /Re-cycling unit

B. OTHER WASTE:

SL. No	Name of Other Waste	Stream	Quantity of Waste	Disposal Option
1	Plastic Waste	-	Collected from the Member HCFs for disposal	After Autoclaving & shredding, treated waste shall be sent to authorized recyclers.
2.	Metallic Sharps/Waste	-	Collected from the Member HCFs for disposal	After Autoclaving & shredding, treated waste shall be sent to authorized / Consented recyclers (Iron Foundries)
3.	Glass Waste	-	Collected from the Member HCFs for disposal	After disinfection and autoclaving, treated waste shall be sent to authorized / Consented recyclers.

V. Bio-Medical Waste Authorisation (Form – III) [See Rule 10]

(Authorization for operating a facility for collection, transportation, reception, storage, treatment and disposal of biomedical waste as prescribed in the Bio-Medical Waste Management Rules, 2016).

M/s. G.J.Multiclave India Pvt. Ltd., Rangareddy District is hereby granted an authorization to operate a facility for collection, reception, storage, transport and disposal of biomedical waste in the premises situated at **Sy. No. 179 & 181, Mothkulaguda (V), Nandigama (M), Shadnagar, Rangareddy District.**

This order is valid to collect, transport, treat and safe disposal of Bio-medical Waste generated from the HCFs/Hospitals located in erstwhile Hyderabad & Rangareddy Districts (Presently Hyderabad, Medchal-Malkajgiri, Rangareddy & Vikarabad Districts)., duly complying the Bio-Medical Waste Management Rules, 2016 and the guidelines for Common Bio-medical Waste Treatment Facility (CBMWTF), issued by Central Pollution Control Board (CPCB).

This order is subject to the provisions of 'the Acts and the Rules' and orders made there under and further subject to the terms and conditions incorporated in the schedule A, B, C & D enclosed to this order.

This combined order of Consents, Hazardous Waste & Bio-medical waste Authorisation shall be valid for a period ending with the **31st day of December, 2027.**

Sd/-

MEMBER SECRETARY

Encl: Schedules A, B, C & D.

**M/s. G.J.Multiclave India Pvt. Ltd.,
Sy. No. 179 & 181, Mothkulaguda (V),
Nandigama (M), Shadnagar,
Rangareddy District - 509 216.**

///T.C.F.B.O ///


Joint Chief Environmental Engineer